

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/13/2018 Version: 1.0

SECTION 1: Identifica	ition	
1.1. Identification		
Product form		: Mixture
Product name		: Aqua-Prep F
1.2. Recommended us	se and restrictions o	on use
Use of the substance/mixture	3	: For RX only
1.3. Supplier		
Manufacturer Bisco, Inc. 1100 W. Irving Park Rd. Schaumburg, IL 60193 T 1.847.534.6000 - F 1.847.8 sales@bisco.com		
1.4. Emergency teleph	none number	
Emergency number		: CHEMTREC - 24-Hour Hazmat Emergency Communications Center Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted
SECTION 2: Hazard(s) identification	
2.1. Classification of t	the substance or mix	xture
GHS-US classification		
Skin corrosion/irritation	H315	Causes skin irritation
Category 2 Serious eye damage/eye	H319	Causes serious eye irritation
irritation Category 2 Skin sensitization, Category	H317	May cause an allergic skin reaction
1 Full text of H statements : se	e section 16	
2.2. GHS Label eleme	nts, including preca	utionary statements
GHS-US labeling		
Hazard pictograms (GHS-US	;)	
Hazard statements (GHS-US	\$)	: H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eve irritation
Precautionary statements (G	HS-US)	 P261 - Avoid breathing vapors P264 - Wash hands thoroughly after handling P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves, eye protection, face protection P302+P352 - If on skin: Wash with plenty of Wash skin with soap and water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P321 - Specific treatment (see First aid measures on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P363 - Wash contaminated clothing before reuse P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Aqua-Prep F Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 3: Composition/Informa	tion on ingredients		
3.1.	Substances			
Not app	blicable			
3.2.	Mixtures			
Name	1	Product identifier	%	GHS-US classification
2-Hydr	oxyethyl Methacrylate	(CAS-No.) 868-77-9	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Sodiur	n Fluoride	(CAS-No.) 7681-49-4	1 - 5	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 3. H402

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	 Wash with water and soap. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water for 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Give milk to drink. Drink plenty of water. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and sp	pecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media	: Dry chemical powder. Carbon dioxide. Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the c Fire hazard	: Combustible.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and p	· · · · · · · · · · · · · · · · · · ·
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective ed	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing mist, vapors.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Prevent soil a	and water pollution.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precau	tions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing mist, vapors.
Hygiene measures		: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includ	ling any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control p	arameters		
2-Hydroxyethyl M	2-Hydroxyethyl Methacrylate (868-77-9)		
Not applicable			
Sodium Fluoride	(7681-49-4)		
ACGIH	ACGIH TWA (mg/m ³)	2.5 mg/m ³ (Fluorides, as F; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)	

8.2.	Appropriate engineering controls	
Appropr	riate engineering controls	: Ensure good ventilation of the work station.

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Protective goggles

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemica	properties	
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Appearance	: Clear liquid.	
Color	: Colorless	
Odor	: Odourless	
Odor threshold	: No data available	
рН	: 5-7	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: < °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 1 - 1.2	
Solubility	: Soluble in water.	
02/05/2018	EN (English US)	3/6

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. **Other information**

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
The proc	duct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable u	nder normal conditions.
10.3.	Possibility of hazardous reactions
No dang	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None un	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
2-Hydroxyethyl Methacrylate (868-77-9)	
LD50 oral rat	5564 mg/kg body weight (Rat; Experimental value)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Experimental value)
ATE US (oral)	5564 mg/kg body weight
Sodium Fluoride (7681-49-4)	
LD50 oral rat	52 mg/kg (Rat)
ATE US (oral)	52 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 5 - 7
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 5 - 7
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium Fluoride (7681-49-4)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
02/05/2018	EN (English US) 4

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact

: Eye irritation.

SECTION 12: Ecological in 12.1. Toxicity	nformation
Ecology - general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
O Uluduouu othud Mothe emdote (0	(SP 77 0)
2-Hydroxyethyl Methacrylate (8	900- <i>1 (</i> - 3)
LC50 fish 1	227 mg/l (LC50; 96 h)

380 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
836 mg/l (ErC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)	
345 mg/l (EbC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Experimental value)	
Sodium Fluoride (7681-49-4)	
> 530 mg/l (LC50; 96 h)	
98 mg/l (EC50; 48 h)	

Persistence and degradability 12.2.

2-Hydroxyethyl Methacrylate (868-77-9)	
Persistence and degradability	Readily biodegradable in water. Biodegradability in soil: no data available. Adsorbs into the soil.
Sodium Fluoride (7681-49-4)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. **Bioaccumulative potential**

2-Hydroxyethyl Methacrylate (868-77-9)	
BCF fish 1	1.3 - 1.5 (BCF)
Log Pow	-0.55 - 0.49 (0.42; Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Sodium Fluoride (7681-49-4)	
Sodium Fluoride (7681-49-4) BCF fish 1	2.3 (BCF)

Soaiur	JM Fluoride (7681-49-4)	
Ecolog	y - soil	Toxic to flora.
12.5.	Other adverse effects	

Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

SECT	ON 13: Disposal con	siderations
13.1.	Disposal methods	
Waste t	reatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

TDG

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

2-Hydroxyethyl Methacrylate (868-77-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information		
Revision date		: 02/05/2018
Full	text of H-phrases:	
	H301	Toxic if swallowed
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation

SDS US (GHS HazCom 2012)

H402

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Harmful to aquatic life